



blue[®]m, oxygen for health

blue[®]m products are revolutionary for the oral care sector. Its unique formula helped countless people with the healing process of oral health problems and also worked as a preventative solution for upkeeping a healthy mouth. The secret is the active oxygen in blue[®]m. Focusing on the powerful benefits oxygen possesses within the healing process, Dr. Peter Blijdorp and his team created the unique formula, blue[®]m, oxygen for health.

blue[®]m products contain high concentrations of oxygen, in part derived from honey. Whether you are looking for a product for implant care, faster healing of inflamed gums or just wanting to ensure you maintain healthy teeth and gums - blue[®]m is the right choice.



general info oral gel

blue[®]m oral gel is specially developed by a team of implantologists, oral surgeons and dentists for specific problems in the mouth. The gel contains an extra high concentration of active oxygen and increases the oxygen tension in the mouth. This accelerates the healing of oral wounds and that's why we call this wound support. The gel works effectively and accelerates the healing of bleeding and inflamed gums (**gingivitis**), inflammation of the gums and supporting structures of the teeth (**periodontitis**) and inflammation around implants (**peri-implantitis**). Many doctors advise this product for wound healing after tooth extraction, after implant placement, with ill-fitting dentures or after chemotherapy.

factsheet

blue[®]m oral gel

who should use oral gel?

blue[®]m oral gel is used to support the healing of problems in the mouth. Think of:

- oral wounds (after extraction, due to chemotherapy/radiotherapy or dentures)
- bleeding or inflamed gums
- periodontitis
- peri-implantitis (inflammation around implants)
- wound healing after implant placement
- pockets around teeth or implants

This product is a medical device. Read the instructions before usage.

how to use?

Apply blue[®]m oral gel with the tube or syringe at the area where it is needed. Before applying the gel you can wipe the area with a cotton swab, as this helps to keep the gel at the right spot. Leave the gel as long as possible on the area of application, but never longer than one hour.



Use blue[®]m oral gel maximum 3 times a day after brushing and/or after rinsing with mouthwash or as indicated by your implantologist, dentist or oral hygienist.

key selling points

- medical device with an extra high concentration of active oxygen
- speeds up the healing process of bleeding gum
- reduces pockets around teeth and implants
- speeds up the healing of wounds in after extraction and after implant placement
- speeds up the healing of wounds after chemo/radiotherapy
- speeds up the healing of wounds caused by ill-fitting dentures
- works fast and effective!

sales: sizing & pricing

- tube, 15 ml
- advised consumer price €21,36 incl VAT
- minimal order quantities 48 pcs per outer carton
- professional pricing, see price list

factsheet

blue[®]m oral gel

product specs:

- Article number: OGI15
- Manufacturer: 5 Pillars Research B.V.
- Country of origin: The Netherlands
- CE EAN: 696859328459
- HE EAN: 653341360502
- Z-index: 15951898
- Volume: 15 ml
- Packaging: 48 x 15 ml
- Dimen. Box (48 pcs): 20 x 19 x 12
- Weight box gross: 1,4 kg
- Weight box net: kg
- Weight piece (net): 20 g
- Leaflet: Yes, 8 languages
- Shelf life: 3 years

ingredients

Aqua, Alcohol, Gly- cerin, Silica, Sodium Saccharin, Sodium Perborate, Citric Acid, PEG-32, Sodium Gluconate, Cellulose Gum, Xanthan Gum, Lactoferrin.